





NOTE: HYDRO-BLEND VERTICAL MOUNT SYSTEM PART NUMBERS CONTAIN THE ABBREVIATION "VM"
 THIS ABBREVIATION DENOTES THE SYSTEMS MOUNTING ORIENTATION (SEE PACKING SLIP FOR PUMP NUMBER)

VM = VERTICAL MOUNT - DESIGNED TO MOUNT ON A VERTICAL SURFACE (I.E. A WALL)



SCALE:	SHEET:	DATE:	C:\AUTOCAD\GROWIN\Paper\Wall Mounting -Instructions\System-VM-Mounting-Instructions.dwg	
NOTED	1 of 1	06/04/07		
DRAWN BY:	CHECKED BY:			
SC	DK			
SERIES:	DESCRIPTION:			
REVISION:	REvised BY:	DATE:		
	SC	03/24/08		
				
			5301 SAWYER AVENUE BOISE, ID 83714 PHONE: (208) 375-5000 www.hydroblend.com	
			MOUNTING INSTRUCTIONS SYSTEM-VERTICAL MOUNT	



- 217 (x4)
- 229-SST (x4)
- 261 (x4)
- 229 (x4)
- 257K (x4)

SHIPPING INFORMATION: CROWN SYSTEM NO. = 001-4
FOAM PACKAGED (25 x 25 x 20)
HYDRO-BLEND STAMP LOGO

FOOT VALVE NO. = 9402-375 (x2)
SUCTION TUBE NO. = 266 (x2)
OPERATING MANUAL REQUIRED
PUMP SCHEMATIC REQUIRED
SYSTEM SCHEMATIC REQUIRED

MODEL NO. SERIAL NO. STICKER
LOWER LEFT HAND CORNER OF BOX

PART NO.	DESCRIPTION	QTY.
005-MAX PRESSURE	Sticker - Water Inlet - Maximum Inlet Pressure	1
005-MIX CHAMBER	Sticker - Mixing Chamber	1
005-H2O FILTER	Sticker - Water Filter	1
205	Jaco Male Elbow - 5/8 Tube OD - 1/2 MNPT - Polypro	3
205-375	Jaco Male Connector - 5/8 Tube OD - 3/8 MNPT - Polypro	1
217	Screw - 6-32 x 1-1/2 - Round Head SLTD - 18-8 SST	4
223	Nut - Acorn Open End - Wd 5/16 x Ht 1/4 - 8-32 - Nickel Plated Brass	4
229	Washer - .174 ID x 3/8 OD x .031 Thick - SST	8
229-SST	Washer - .167 ID x .437 OD x .062 Thick - SST	4
232	Bolt - 8-32 x 5/8 - Hex Head - 18-8 SST	4
256T-200	Tee Housing & Filter Assy - 3/4 FGHT x 3/4 MGH - (200 Mesh/55 Micron Filter Cartridge)	1
257K	Nut - Hex Keys with Tooth Washer - Wd 5/16 x Ht .105 - 6-32 - Plated	4
259-6.875	Injection Tube	1
259-14.125	Injection Tube	1
261	Foot - Rubber	4
262-500MNPT	Borb Fitting - 90 Degree - 1/2 MNPT x 1/2 HB - Polypro	1
267WR-10.625	Wire Reinforced Hose	1
271-2	Nipple - 1/2 MNPT - 1.0 Long - SST	1
272-1	Reducer - 3/4 MNPT x 1/2 FNPT - SST	2
278	Borb Fitting - 90 Degree - 3/4 MGH x 1/2 HB - Polypro	1
280	Clamp, Hose - SAE #8 - SST	2
281B	Bracket, Mounting - Mixing Chamber/Water Filter	1
282-500	Regulator, Water Pressure - 1/2 FNPT - 1/4 FNPT Gauge Port - 10-125PSI	1
283	Gauge - 1/4 MNPT - 100PSI	1
0161-ENCLOSURE	Enclosure - 18.0 x 18.0 x 9.500 - SST	1
6080-881-DI,FS HM	Hydro-Blend Proportioner	1
9222	Stainless Steel Bulkhead Fitting Assembly - 3/4 FNPT	2
9572	Mixing Chamber & Jet Assy - 1/2 FNPT	1
9881A-E	Adaptor Assy - EPDM Seal - SST	1
LOCK	Lock & Key - For SST Enclosures - Part Not Shown On Print	1

C:\Autocad\crown\System\0162-6080-881-DI,FS.wdmg

SCALE:	SHEET:	DATE:
1:4	1 of 1	05/19/06
DRAWN BY:	CHECKED BY:	
SC	DK	
SERIES:	DESCRIPTION:	
7 GPM	0162-System	
DESIGNER:	DATE:	
SC	06/19/13	

5301 SAWYER AVENUE BOISE, ID 83714
 PHONE: (208) 375-5000 www.hydroblend.com
HYDRO-BLEND
 0162-6080-881
 -DI,FS VM

